

# PGN-750

## Swappable 5G Radio Modem for Mission-Critical Communications



Images are for reference only. See ordering information for SKU details.

### ■ Features

- 5G sub6 Radio Modem Compatible with Lanner Vehicle PC
- 2x nano SIM Card Readers, 4x Antenna Jack, with antenna / cable kit
- SATA connector with USB 3.0 signal and Hot Swappable Capability
- 5G Failover for Constant Operations
- Designed for Network Failover and Vehicle Applications
- Swappable Caddy
- Supports NSA and SA modes

### ■ Preliminary Specifications

#### 5G Modem Card

PGN-750D □ 5G sub6 Radio Modem

#### Interface

Connector SATA connector with USB 3.0 signal

M.2 1x M.2 3042/50/52 B-Key socket with dual-SIM card reader

#### System Compatibility

Lanner Vehicle PC V3S, V6S, ISD-V330, LEC-2290, EAI-V330, EAI-R530

#### Temperature

Operating -40~70°C Operating, -40~85°C Non-Operating

#### Humidity


5%~90% RH, Non-condensing

#### Mechanical

Dimension 76 x 115.97 x 145 mm  
(W x D x H)

Weight 0.4 kg

### ■ Product I/O View



- A** 5G Antenna (two types)
- B** SIM slots
- C** Antenna cable
- D** SATA connector with USB 3.0 signal

PGN-750

### ■ Ordering Information

**PGN-750D** PGN-750 Caddy without 5G module.

# Lanner